















HIGH-PRESSURE STRAIGHT LENGTHS

Feinrohren GREEN 80 and 120 bar copper tubes are produced with permanent markings in compliance with EU standard EN 12735-1.

These GREEN 80 and 120 bar products are provided with differently coloured caps, to facilitate identification and safe, convenient use.

Feinrohren GREEN 80 and 120 bar copper tubes are available in a wide range of diameters (mm and inches) in lengths of 4 or 5 m, either hard or annealed, and packaged in bundles individually wrapped and labelled.

-  Air conditioning
-  Fittings
-  Thermostats and Thermocouples
-  Refrigeration
-  Filters
-  Plumbing and Heating
-  Boilers
-  Electric heaters
-  Solar thermal energy
-  Medical
-  Automotive
-  Wire terminals

**“The alternative solution
for your CO₂ plants”**

Feinrohren S.p.A.


FEINROHREN



STANDARD

Standard: EN 12735-1, EN 14276-2, EN 378-2, ASTM B 111.

Cu-DHP copper tube in hard and annealed straight lengths.

A well-proven, safe and convenient alternative to the CuFe2P. GREEN 80 and 120 bar production waste is 100% recyclable. Levels of overall cleaning is well below the limits set out in reference standards.

It is designed for use with medium-to-high pressure CO₂ gas refrigeration and air conditioning systems.

